



# E2270SWDN

Reliable 21.5" Full HD monitor for work or home

This 21.5" display delivers a good performance for home users. It also helps them save costs with its modest energy consumption, and offers tilt and wall-mount options.

| GENERAL           |               |
|-------------------|---------------|
| Model Name        | E2270SWDN     |
| EAN               | 4038986125697 |
| Channel           | B2C           |
| Product line      | Basic-line    |
| Design family     | 70 ID         |
| Launch date (ETA) | 10/29/2015    |

| SCREEN                 |              |
|------------------------|--------------|
| Screen size (inch)     | 21.5         |
| Screen size (cm)       | 54.61        |
| Flat / Curved          | Flat         |
| Display hardness       | 3H           |
| Panel resolution       | 1920x1080    |
| Resolution name        | FHD          |
| Aspect ratio           | 16:9         |
| Panel type             | TN           |
| Backlight type         | WLED         |
| Max Refresh rate       | 60 Hz        |
| Response time GtG      | 5 ms         |
| Static contrast ratio  | 700:1        |
| Dynamic contrast ratio | 20M:1        |
| Viewing angle (CR10)   | 90/65        |
| Display colours        | 16.7 Million |
| Brightness in nits     | 200 cd/m2    |
| Pixel Pitch (mm)       | 0.248        |

**EXTERIOR**

|                              |         |
|------------------------------|---------|
| Bezel type (front)           | Normal  |
| Bezel Colour (front)         | Black   |
| Bezel finishing (front)      | Texture |
| Cabinet colour (backside)    | Black   |
| Cabinet finishing (backside) | Texture |

**ERGONOMICS**

|                |         |
|----------------|---------|
| Vesa wallmount | 100x100 |
| Tilt           | -5/15   |

**CONNECTIVITY AND MULTIMEDIA**

|             |          |
|-------------|----------|
| D-SUB (VGA) | 1x       |
| DVI         | 1x DVI-D |

**FEATURES**

|                 |   |
|-----------------|---|
| Kensington Lock | ✓ |
|-----------------|---|

**SUSTAINABILITY**

|             |               |
|-------------|---------------|
| Energy star | Energy star 8 |
|-------------|---------------|

**POWER / ENVIRONMENTAL**

|                                    |                    |
|------------------------------------|--------------------|
| Power supply                       | Internal           |
| Power source                       | 100 - 240V 50/60Hz |
| Power consumption standby in watts | 0.2                |
| Power consumption off in watts     | 0.2                |
| Energy class                       | E                  |

**PRODUCT DIMENSIONS**

|                                          |                              |
|------------------------------------------|------------------------------|
| Product dimensions incl. base (WxHxD) mm | 311,1(H) x 503,37(W) x 48(D) |
| Packaging dimensions (WxHxD) mm          | 110(H) x 560(W) x 395(D)     |
| Gross weight incl. package (in kg)       | 3.45                         |
| Net weight excl. package (in kg)         | 2.7                          |

**WHAT'S IN THE BOX**

|                   |     |
|-------------------|-----|
| D-SUB (VGA) cable | 1.2 |
| DVI cable         | 1.5 |
| Power cable C7    | 1.2 |

**OTHER INFORMATION**

|                        |                                   |
|------------------------|-----------------------------------|
| MTBF                   | 50.000 hours (excluded backlight) |
| MTBF (excluding panel) | 50.000 hours                      |